THEORETICAL AND APPLIED GENETICS

International Journal of Plant Breeding Research

Volume 91 · 1995

MANAGING EDITOR

G. Wenzel, Grünbach

EDITORIAL BOARD

L. Alföldi, Szeged
J. S. F. Barker, Armidale
J. S. Beckmann, Paris
H. K. Dooner, Oakland
E. J. Eisen, Raleigh, NC
Yu. Gleba, Princeton, NJ
R. Hagemann, Halle/S.
G. E. Hart, College Station, TX
A. L. Kahler, Brookings, SD
M. Koornneef, HA Wageningen
H. F. Linskens, Heidelberg
J. Mac Key, Uppsala
P. Maliga, Piscataway, NJ
F. Mechelke, Stuttgart
G. Melchers, Tübingen
P. L. Pfahler, Gainesville, FL
I. Potrykus, Zürich
D. R. Pring, Gainesville, FL
F. Salamini, Köln-Vogelsang
C. Smith, Guelph
J. W. Snape, Norwich
P. M. A. Tigerstedt, Helsinki
K. Tsunewaki, Kyoto
L. D. Van Vleck, Lincoln, NE

Springer

THEORETICAL AND APPLIED GENETICS

International Journal of Plant Breeding Research

Founded in 1929 as "Der Züchter", a German journal for theoretical and applied genetics. In 1966 its direction changed from national to international and from plant breeding to genetics and breeding research. The title changed in 1968 to "Theoretical and Applied Genetics". Edited by H. Stubbe from 1946 to 1976, by H. F. Linskens 1977 to 1987 and by G. Wenzel from 1988

TAG will publish original articles in the following areas:

- **Genetic and physiological fundamentals of plant breeding**
- **Applications of plant biotechnology**
- **Theoretical considerations in combination with experimental data**

Springer

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warrantly, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0040-5752, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

The Canada Institute for Scientific and Technical Information (CISTI) provides a comprehensive, world-wide document delivery service for all Springer-Verlag journals. For more information, or to place an order for a copyright-cleared Springer-Verlag document, please contact Client Assistant, Document Delivery, CISTI, Ottawa K1A 0S2, Canada (Tel: 613-993-9251; Fax: 613-952-8243; e-mail: cisti.docdel@nrc.ca).

This journal is included in the Springer Journals Preview Service, i.e. the tables of contents and BiblioAbstracts are available via Internet several weeks before the new issue reaches the subscribers. Tables of contents are free of charge; BiblioAbstracts are available for a small annual fee. Details can be obtained by sending an e-mail message containing the line help to svjps@vax.ntp.springer.de

Typesetting

Graphischer Betrieb K. Triltsch, Würzburg, Germany
Thomson Press (India) Ltd., New Delhi

Printing and bookbinding

Graphischer Betrieb K. Triltsch, Würzburg, Germany

© Springer-Verlag
Berlin Heidelberg 1995
Springer-Verlag GmbH & Co. KG, Berlin, Germany
Printed in Germany

Table of contents Volume 91, 1995

No. 1, pp. 1– 188 published in July 1995
No. 2, pp. 189– 394 published in July 1995
No. 3, pp. 395– 552 published in August 1995
No. 4, pp. 553– 706 published in September 1995
No. 5, pp. 707– 824 published in October 1995
No. 6–7, pp. 825–1176 published in November 1995
No. 8, pp. 1177–1316 published in December 1995

Aggrey SE, Lin CY, Cheng KM: Size of breeding populations required for selection programs 553
Akagi H, Taguchi T, Fujimura T: Stable inheritance and expression of the CMS traits introduced by asymmetric protoplast fusion 563
Alexander HM, Slade NA, Gomulkiewicz R: A Bayesian approach to the inference of diploid genotypes using haploid genotypes 1284
Ali M, Copeland LO, Elias SG, Kelly JD: Relationship between genetic distance and heterosis for yield and morphological traits in winter canola (*Brassica napus* L.) 118
Allen B → Byrne M
Alpert KB, Grandillo S, Tanksley SD: *fw 2.2:* a major QTL controlling fruit weight is common to both red- and green-fruited tomato species 994
Andersson L → Larsen NJ
Anioł AM: Physiological aspects of aluminium tolerance associated with the long arm of chromosome 2D of the wheat (*Triticum aestivum* L.) genome 510
Arendonk JAM van → Beek S van der
Arens P → Jacobs JME
Arnholdt-Schmitt B, Herterich S, Neumann K-H: Physiological aspects of genome variability in tissue culture. I. Growth phase-dependent differential DNA methylation of the carrot genome (*Daucus carota* L.) during primary culture 809
Arnholdt-Schmitt B: Physiological aspects of genome variability in tissue culture. II. Growth phase-dependent quantitative variability of repetitive *Bst*NI fragments of primary cultures of *Daucus carota* L. 816
Arulsekar S → Foolad MR
Arús P → Viruel MA
Ashley MV → Dow BD
Assienan B, Noirot M: Isozyme polymorphism and organization of the agamic complex of the *Maximae* (*Panicum maximum* Jacq., *P. infestum* Anders, and *P. trichocladum* K. Schum.) in Tanzania 672
Atlin GN: Cytoplasmic male-sterile synthetics: a new approach to the exploitation of heterosis in rape 1173
Azanza, F, Kim D, Tanksley SD, Juvik JA:
Azanza F → Tadmor Y

Bag N → Begum F
Bai D, Reeleder R, Brandle JE: Identification of two RAPD markers tightly linked with the *Nicotiana debneyi* gene for resistance to black root rot of tobacco 1184
Baltazar BM → Webb DM
Banga SS → Kirti PB
Bannerot H → Bellamy A
Baranger A, Chèvre AM, Eber F, Renard M: Effect of oilseed rape genotype on the spontaneous hybridization rate with a weedy species: an assessment of transgene dispersal 956
Barcaccia G, Tosti N, Falistocco E, Veronesi F: Cytological, morphological and molecular analyses of controlled progenies from meiotic mutants of alfalfa producing unreduced gametes 1008
Barnes SR → Berry ST
Barone A, Gebhardt C, Frusciante L: Heterozygosity in 2n gametes of potato evaluated by RFLP markers 98
Barret P → Foisset N
Barua UM → Thomas WTB
Bastiaanssen HJM → Jacobs JME
Beaman LD → Rinderer TE
Beaulieu J → Hamelin RC
Beavis WD → Webb DM
Becerra V → Foolad MR
Becker HC, Engqvist GM, Karlsson B: Comparison of rapeseed cultivars and resynthesized lines based on allozyme and RFLP markers 62
Beek S van der, Arendonk JAM van, Groen AF: Power of two- and three-generation QTL mapping experiments in an outbred population containing full-sib or half-sib families 1115
Begum F, Paul S, Bag N, Sikdar SR, Sen SK: Somatic hybrids between *Brassica juncea* (L.) Czern. and *Diplotaxis harra* (Forsk.) Boiss and the generation of backcross progenies 1167
Beiles A → Joppa LR
Beiles A → Nevo E
Beiles A → Pagnotta MA
Bellamy A, Mathieu C, Vedel F, Bannerot H: Cytoplasmic DNAs and nuclear rDNA restriction fragment length polymorphisms in commercial witloof chicories 505
Bennett AB → Chetelat RT
Bennett J → Ghareyazie B
Bennett J → Nair S
Bennetzen JL → Sanz-Alferez S
Bentur JS → Nair S
Benyon LS → Eisen EJ
Bergman P, Kofer W, Håkansson G, Glimelius K: A chimeric and truncated mitochondrial *atpA* gene is transcribed in alloplasmic cytoplasmic male-sterile tobacco with *Nicotiana bigelovii* mitochondria 603
Berry ST, Leon AJ, Hanfrey CC, Challis P, Burkholz A, Barnes SR, Rufener GK, Lee M, Caligari PDS: Molecular marker analysis of *Helianthus annuus* L. 2. Construction of an RFLP linkage map for cultivated sunflower 195
Bervillé A → Jeandroz G
Bervillé A → Quillet MC
Bevis E → Donaldson PA
Bezděk M → Vyskot B
Bishop GJ → Czakó M
Blake TK → Han F
Bliek SM → Kresovich S
Bliss FA → Foolad MR
Bogucki A → Lebel EG
Bohanec B → Campion B
Borisjuk N → Stadler M
Börner T → Steinborn R
Bousquet J → Jeandroz G
Bousquet J → Perron M
Boutry M → Luo H
Boutsalis P, Powles SB: Inheritance and mechanism of resistance to herbicides inhibiting acetolactate synthase in *Sonchus oleraceus* L. 242
Brandle JE → Bai D
Bridges WC → Knapp S
Brisbane JR, Gibson JP: Balancing selection response and rate of inbreeding by including genetic relationships in selection decisions 421
Brisbane JR, Gibson JP: Including genetic relationships in selection decisions: alternative methodologies 769
Broekaert WF → Janssens GA
Broothaerts W → Janssens GA
Brown CR → Masuelli RW
Burbidge A, Grieve TM, Woodman KJ, Taylor IB: Strategies for targeted transposon tagging of ABA biosynthetic mutants in tomato 1022
Burkholz A → Berry ST
Bushuk W → Welsh W
Buss GR → Ma G
Byrne M, Murrell JC, Allen B, Moran GF: An integrated genetic linkage map for eucalypts using RFLP, RAPD and isozyme markers 869
Byrne T → Huang H

Caetano-Anollés G, Callahan LM, Williams PE, Weaver KR, Gresshoff PM: DNA amplification fingerprinting analysis of bermudagrass (*Cynodon*): genetic relationships between species and interspecific crosses 228
Caligari PDS → Berry ST
Callahan LM → Caetano-Anollés G
Campbell MA → Lehner A
Campion B, Bohanec B, Javornik B: Gynogenic lines of onion (*Allium cepa* L.): evidence of their homozygosity 598
Caovas J → Torres AM
Cappadocia M → Cloutier S
Cavallini A → Natali L
Ceoloni C → Donini P
Challis P → Berry ST
Chalmers KJ → Thomas WTB
Chao S → Wang G
Chao S → Xu WW
Chaouche K → Pons O
Chen P → Ma G
Chen PD, Qi LL, Zhou B, Zhang SZ, Liu DJ: Development and molecular cytogenetic analysis of wheat-*Haynaldia villosa* 6VS/6AL translocation lines specifying resistance to powdery mildew 1125
Chen S-Y → Zhang J-S
Cheng KM → Aggrey SE
Chetelat RT, DeVerna JW, Bennett AB: Effects of the *Lycopersicon chmielewskii* sucrose accumulator gene (*sucr*) on fruit yield and quality parameters following introgression into tomato 334
Chetelat RT, DeVerna JW, Bennett AB: Introgression into tomato (*Lycopersicon esculentum*) of the *L. chmielewskii* sucrose accumulator gene (*sucr*) controlling fruit sugar composition 327
Chèvre AM → Baranger A
Chinoy CN → Devos KM
Chirat S → Han F
Chopra VL → Kirti PB
Cionini G → Natali L
Clarke GR → Vezvaei A
Clayton K → Webb DM
Clement D → Lanaud C
Cloutier S, Cappadocia M, Landry BS: Study of microspore-culture responsiveness in oilseed rape (*Brassica napus* L.) by comparative mapping of a F_2 population and two microspore-derived populations 841
Cobos S → Torres AM
Cocherel S → Depeiges A
Comai L → Masuelli RW
Copeland LO → Ali M
Couvet D → Ronfort J
Cubero JI → Torres AM
Cuguen J → Ronfort J
Czakó M, Marathe RP, Xiang C, Guerra DJ, Bishop GJ, Jones JDG, Márton L: Variable expression of the herpes simplex virus thymidine kinase gene in *Nicotiana tabacum* affects negative selection 1242

D'Hont A, Rao PS, Feldmann P, Grivet L, Islam-Faridi N, Taylor P, Glaszmann JC: Identification and characterisation of sugarcane intergeneric hybrids, *Saccharum officinarum* × *Erianthus arundinaceus*, with molecular markers and DNA in situ hybridisation 320
D'Ovidio R, Masci S, Porceddu E: Development of a set of oligonucleotide primers specific for genes at the *Glu-1* complex loci of wheat 189
Dash S → Reddy VS
Davis TM, Yu H, Haigis KM, McGowan PJ: Template mixing: a method of enhancing detection and interpretation of codominant RAPD markers 582
Dawson IK → Sharma SK
De Buyser J → Wang G
Dean C → Jansen RC
Delaney DE, Nasuda S, Endo TR, Gill BS, Hulbert SH: Cytologically based physical maps of the group 3 chromosomes of wheat 780
Delaney DE, Nasuda S, Endo TR, Gill BS, Hulbert SH: Cytologically based physical maps of the group-2 chromosomes of wheat 568
Delourme R → Foisset N
Delseny M → Depeiges A
Demesure B → Dumolin S
Depeiges A, Goubely C, Lenoir A, Cocherel S, Picard G, Raynal M, Grellet F, Delseny M: Identification of the most represented repeated motifs in *Arabi – dopsis thaliana* microsatellite loci 160
DeVerna JW → Chetelat RT
Devos KM, Dubcovsky J, Dvořák J, Chinoy CN, Gale MD: Structural evolution of wheat chromosomes 4A, 5A, and 7B and its impact on recombination 282
Dieters MJ, White TL, Littell RC, Hodge GR: Application of approximate variances of variant components and their ratios in genetic tests 15
Dion Y, Gugel RK, Rakow GFW, Séguin-Swartz G, Landry BS: RFLP mapping of resistance to the blackleg disease [causal agent, *Leptosphaeria maculans* (Desm.) Ces. et de Not.] in canola (*Brassica napus* L.) 1190
Donaldson PA, Bevis E, Pandeya R, Gleddie S: Rare symmetric and asymmetric *Nicotiana tabacum* (+) *N. megalosiphon* somatic hybrids recovered by selection for nuclear-encoded resistance genes and in the absence of genome inactivation 747
Dong J-M → Wang G-L
Donini P, Koebner RMD, Ceoloni C: Cytogenetic and molecular mapping of the wheat-*Aegilops longissima* chromatin breakpoints in powdery mildew-resistant introgression lines 738
Douglas JA → Eisen EJ
Dow BD, Ashley MV, Howe HF: Characterization of highly variable $(GA/CT)_n$ microsatellites in the bur oak, *Quercus macrocarpa* 137
Dubcovsky J, Luo M-C, Dvořák J: Linkage relationships among stress-induced genes in wheat 795
Dubcovsky J → Devos KM
Dumolin S, Demesure B, Petit RJ: Inheritance of chloroplast and mitochondrial genomes in pedunculate oak investigated with an efficient PCR method 1253
Duncan RR → Lin ZW
Dvořák J → Dubcovsky J
Dvořák J → Devos KM

Earle ED → Hansen LN
Earle ED → Heath DW
Eber F → Baranger A
Ecke W, Uzunova M, Weißleder K: Mapping the genome of rapeseed (*Brassica napus* L.) II. Localization of genes controlling erucic acid synthesis and seed oil content 972
Eisen EJ, Benyon LS, Douglas JA: Long-term restricted index selection in mice designed to change fat content without changing body size 340
Eissen JJ → Greon AF
El-Kharbotly A, Jacobsen E, Stiekema WJ, Pereira A: Genetic localisation of transformation competence in diploid potato 557
El-Kharbotly A → Jacobs JME
Elias SG → Ali M
Ellegren H → Larsen NJ
Ellis RP → Thomas WTB
Elston RC → Stricker C
Endo TR → Delaney DE
Endo TR → Delaney DE
Endo TR → Hohmann U
Endo TR → Hohmann U
Engqvist GM → Becker HC

Fairfull RW → McMillan I
Falistocco E → Barcaccia G
Falque M → Lanaud C
Falvre-Rampant F → Jeandroz G
Fambrini M → Natali L
Famula T → Huang H
Farjon A → Perez de la Rosa J
Feldmann P → D'Hont A
Fenwick AL → Sherman JD
Fernando RL → Stricker C
Flament MH → Lanaud C
Flavell RB → Monte JV
Foisset N, Delourme R, Barret P, Renard M: Molecular tagging of the dwarf *BREIZH* (*Bzh*) gene in *Brassica napus* 756
Foolad MR, Arulsekar S, Becerra V, Bliss FA: A genetic map of *Prunus* based on an interspecific cross between peach and almond 262
Foolad MR → Hittalmani S
Forsberg RA → Katsiotis A
Forster BP → Thomas WTB
Fortin MG → Witsenboer H
Franz G → Kerremans P
Frello S, Hansen KR, Jensen J, Jørgensen RB: Inheritance of rapeseed (*Brassica napus*)-specific RAPD markers and a transgene in the cross *B. juncea* × (*B. juncea* × *B. napus*) 236
Friars GW → McMillan I
Friebe B, Tuleen NA, Gill BS: Standard karyotype of *Triticum searsii* and its relationship with other S-genome species and common wheat 248
Fromme FJ → Miedaner T
Frusciante L → Barone A
Fujimura T → Akagi H
Fujiwara N → Tosa Y
Fukui K → Ohmido N
Funatsuki H, Kuroda H, Kihara M, Lazzeri PA, Müller E, Lörz H, Kishinami I:

Fertile transgenic barley generated by direct DNA transfer to protoplasts 707
Furman DP, Rodin SN, Kozhemiakina TA: Transposable elements and the penetrance of quantitative characters in *Drosophila melanogaster* 1095
Furutsu Y → Tosa Y

Galasso I, Schmidt T, Pignone D, Heslop-Harrison JS: The molecular cytogenetics of *Vigna unguiculata* (L.) Walp: the physical organization and characterization of 18*s*-5.8*s*-25*s* rRNA genes, 5*s* rRNA genes, telomere-like sequences, and a family of centromeric repetitive DNA sequences 928
Gale MD → Devos KM
Gale MD → Jones ES
Gale MD → Wang G
Ganal MW → Plaschke J
Garcia-Mas J → Viruel MA
Gasquez J → Lavigne C
Gebhardt C → Barone A
Geiger HH → Miedaner T
Genes from *Lycopersicon chmielewskii* affecting tomato quality during fruit ripening 495
Gentzbittel L → Mouzeyar S
Gerats AGM → Huits HSM
Ghareyazie B, Huang N, Second G, Bennett J, Khush GS: Classification of rice germplasm. I. Analysis using ALP and PCR-based RFLP 218
Gibson JP → Brisbane JR
Gibson JP → Brisbane JR
Giles LC → Vezvaei A
Gill BS → Delaney DE
Gill BS → Delaney DE
Gill BS → Friebe B
Gill BS → Hohmann U
Gill BS → Hohmann U
Gimelfarb A, Lande R: Marker-assisted selection and marker-QTL associations in hybrid populations 522
Giordani T → Natali L
Glaszmann JC → D'Hont A
Gleddie S → Donaldson PA
Glimelius K → Bergman P
Glössl A → Lehner A
Goderis IJ → Janssens GA
Gomulkiewicz R → Alexander HM
Gordon AG → Perron M
Goubely C → Depeiges A
Gowers S: A method for isolating and characterizing homozygous S-allele lines in Brassicae 1107
Grandillo S → Alpert KB
Graner A → Hohmann U
Grellet F → Depeiges A
Gresshoff PM → Caetano-Anollés G
Grieve TM → Burbidge A
Griveau Y → Quillet MC
Grivet L → D'Hont A
Groen AF, Kennedy BW, Eissen JJ: Potential bias in inbreeding depression estimates when using pedigree relationships to assess the degree of homozygosity for loci under selection 665
Groen AF → Beek S van der
Grumet R → Wai T
Gu J → Zhang J-S
Gu WK, Weeden NF, Yu J, Wallace DH: Large-scale, cost-effective screening of PCR products in marker-assisted selection applications 465
Guerra DJ → Czakó M
Gugel RK → Dion Y
Gunel E, Wearden S: Bayesian estimation and testing of gene frequencies 534
Gupta VP → Sekhon MS
Gupta VS → Ratnaparkhe MB
Gupta VS → Sastry JG
Gustafson JP → Monte JV
Gustafson JP → Wanous MK
Gustafson JP → Zhou Z
Guyard C → Lavigne C

Haigis KM → Davis TM
Håkansson G → Bergman P
Hamelin RC, Beaulieu J, Plourde A: Genetic diversity in populations of *Cronartium ribicola* in plantations and natural stands of *Pinus strobus* 1214
Han F, Ullrich SE, Chirat S, Menteur S, Jestin L, Sarrafi A, Hayes PM, Jones BL, Blake TK, Wesenberg DM, Kleinhofs A, Kilian A: Mapping of β-glucan content and β-glucanase activity loci in barley grain and malt 921
Han T → Tadmor Y
Hancock JF → Qu L
Hancock TW → Vezvaei A
Hanfrey CC → Berry ST
Hanneman Jr RE → Katsiotis A
Hansen LN, Earle ED: Transfer of resistance to *Xanthomonas campestris* pv *campestris* into *Brassica oleracea* L. by protoplast fusion 1293
Hansen KR → Frello S
Hanson PR → Thomas WTB
Harding J → Huang H
Harris SA → Perez de la Rosa J
Hash CT → Jones ES
Havey MJ → Kennard WC
Hayes PM → Han F
Heath DW, Earle ED: Synthesis of high crucic acid rapeseed (*Brassica napus* L.) somatic hybrids with improved agronomic characters 1129
Helentjaris T → Touzet P
Hemleben V → Stadler M
Heneen WK → Simonsen V
Henry RJ → Poulsen DME
Henry Y → Wang G
Herrmann RG → Hohmann U
Herrmann RG → Hohmann U
Herterich S → Arnholdt-Schmitt B
Hesemann C-U → Weigel R
Heslop-Harrison JS → Galasso I
Heslop-Harrison JS → Neves N
Hill AM → Pickering RA
Hirai A → Nakazono M
Hittalmani S, Foolad MR, Mew T, Rodriguez RL, Huang N: Development of a PCR-based marker to identify rice blast resistance gene, *Pi-2(t)*, in a segregating population 9
Hodge GT → Dieters MJ
Hofstra H → Wolff K
Hohmann U, Endo TR, Herrmann RG, Gill BS: Characterization of deletions in common wheat induced by an *Aegilops cylindrica* chromosome: detection of multiple chromosome rearrangements 611
Hohmann U, Graner A, Endo TR, Gill BS, Herrmann RG: Comparison of wheat physical maps with barley linkage maps for group 7 chromosomes 618
Holloway JL → Knapp S
Howe HF → Dow BD
Huang H, Harding J, Byrne T, Famula T: Estimation of long-term genetic improvement for gerbera using the best linear unbiased prediction (BLUP) procedure 790
Huang N → Ghareyazie B
Huang N → Hittalmani S
Huang N → Van Coppenolle B
Huang N → Wu P
Huang N → Wu P
Huits HSM, Wijsman HJW, Koes RE, Gerats AGM: Genetic characterization of *Act 1*, the activator of non-autonomous transposable element from *Petunia hybrida* 110
Hulbert SH → Delaney DE
Hulbert SH → Delaney DE
Hulbert SH → Sanz-Alferez S
Hyne V, Kearsey MJ: QTL analysis: further uses of 'marker regression' 471
Hyne V → Wang G

Ichikawa H → Kohno-Murase J
Igartua E: Choice of selection environment for improving crop yields in saline areas 1016
Imamura J → Kohno-Murase J
Iqbal MJ, Ryburn AL: Identification of the 1RS rye chromosomal segment in wheat by RAPD analysis 1048
Irwin JAG → Poulsen DME
Islam-Faridi N → D'Hont A

Jack P → Thomas WTB
Jackson JF → Vezvaei A
Jacobs JME, Van Eck HJ, Arens P, Verkerk-Bakker B, Lintel Hekkert B te, Bastiaanssen HJM, El-Kharbotly A, Pereira A, Jacobsen E, Stiekema WJ: A genetic map of potato (*Solanum tuberosum*) integrating molecular markers, including transposons, and classical markers 289
Jacobsen E → El-Kharbotly A
Jacobsen E → Jacobs JME
Jansen RC, Van Ooijen JW, Stam P, Lister C, Dean C: Genotype-by-environment interaction in genetic mapping of multiple quantitative trait loci 33
Janss LLG, Thompson R, Van Arendonk JAM: Application of Gibbs sampling for inference in a mixed major gene-polygenic inheritance model in animal populations 1137
Janssens GA, Goderis IJ, Broekaert WF, Broothaerts W: A molecular method for *S*-allele identification in apple based on allele-specific PCR 691
Jarret R-L → Liu Z-W
Javornik B → Campion B
Jeandroz G, Falvre-Rampant F, Pugin A, Bousquet J, Bervillé A: Organization of nuclear ribosomal DNA and species-specific polymorphism in closely related

Fraxinus excelsior and *F. oxyphylla* 885
Jensen J → Frello S
Jestin L → Han F
Johnston RP → Poulsen DME
Jones BL → Han F
Jones ES, Liu CJ, Gale MD, Hash CT, Witcombe JR: Mapping quantitative trait loci for downy mildew resistance in pearl millet 448
Jones JDG → Czakó M
Joppa LR, Nevo E, Beiles A: Chromosome translocations in wild populations of tetraploid emmer wheat in Israel and Turkey 713
Jorgensen JA, Nguyen HT: Genetic analysis of heat shock proteins in maize 38
Jørgensen RB → Frello S
Juvik JA → Tadmor Y
Juvik JA → Azanza F

Kaloshian I → Yaghoobi J
Kanno A → Nakazono M
Karlsson B → Becker HC
Kato J → Taketa S
Kato K → Tosa Y
Katsiotis A, Hanneman Jr RE, Forsberg RA: Endosperm Balance Number and the polar-nuclei activation hypotheses for endosperm development in interspecific crosses of *Solanaceae* and *Gramineae*, respectively 848
Kearsey MJ → Hyne V
Keim P → Webb DM
Kelly JD → Ali M
Kennard WC, Havey MJ: Quantitative trait analysis of fruit quality in cucumber: QTL detection, confirmation, and comparison with mating-design variation 53
Kennedy BW → Groen AF
Kerremans P, Franz G: Isolation and cytogenetic analyses of genetic sexing strains for the medfly, *Ceratitis capitata* 255
Kesseli RV → Witsenboer H
Khush GS → Ghareyazie B
Kiba A → Tosa Y
Kihara M → Funatsuki H
Kilian A → Han F
Kim D → Azanza F
Kirti PB, Banga SS, Prakash S, Chopra VL: Transfer of *Ogu* cytoplasmic male sterility to *Brassica juncea* and improvement of the male sterile line through somatic cell fusion 517
Kishinami I → Funatsuki H
Klaas M → Maaß HI
Kleinhofs A → Han F
Kloth RH: Quantitative trait loci affecting cotton fiber are linked to the t_1 locus in upland cotton 762
Knapp SJ, Holloway JL, Bridges WC, Liu B-H: Mapping dominant markers using F_2 matings 74
Koebner RMD → Donini P
Koes RE → Huits HSM
Kofer W → Bergman P
Kohno-Murase J, Murase M, Ichikawa H, Imamura J: Improvement in the quality of seed storage protein by transformation of *Brassica napus* with an antisense gene for cruciferin 627
Koornneef M → Zhu D
Koukalová B → Vyskot B
Kovařík A → Vyskot B
Kozhemiakina TA → Furman DP
Kreike J → Lehner A
Kremer A → Magnussen S
Kresovich S, Szewc-McFadden AK, Bliek SM, McFerson JR: Abundance and characterization of simple-sequence repeats (SSRs) isolated from a size-fractionated genomic library of *Brassica napus* L. (rapeseed) 206
Kresovich S → Liu Z-W
Kuroda H → Funatsuki H
Kusaba M → Tosa Y

Ladha JK → Wu P
Ladha JK → Wu P
Ladizinsky G: Domestication via hybridization of the wild tetraploid oats *Avena magna* and *A. murphyi* 639
Lanaud C, Risterucci AM, N'Goran AKJ, Clement D, Flament MH, Laurent V, Falque M: A genetic linkage map of *Theobroma cacao* L. 987
Lance RCM → Thomas WTB
Lande R → Gimelfarb A
Landry BS → Cloutier S
Landry BS → Dion Y
Lapitan NLV → Sherman JD
Larkins BA → Lopes MA
Larsen NJ, Ellegren H, Nielsen PB, Andersson L: Genetic variation at the growth hormone locus in a wild pig intercross; test of association to phenotypic traits and linkage to the blood group D locus 1074
Laurent V → Lanaud C
Lavigne C, Manac'h H, Guyard C, Gasquez J: The cost of herbicide resistance in white-chicory: ecological implications for its commercial release 1301
Lazzeri PA → Funatsuki H
Lea V → Thomas WTB
Lebel EG, Masson J, Bogucki A, Paszkowski J: Transposable elements as plant transformation vectors for long stretches of foreign DNA 899
Lee M → Berry ST
Lehner A, Campbell MA, Wheeler NC, Pöykkö T, Glössl J, Kreike J, Neale DB: Identification of a RAPD marker linked to the pendula gene in Norway spruce (*Picea abies* (L.) Karst. f. *pendula*) 1092
Lenoir A → Depeiges A
Leon AJ → Berry ST
Li Z, Liu HL, Luo P: Production and cytogenetics of intergeneric hybrids between *Brassica napus* and *Orychophragmus violaceus* 131
Li Z, Pinson SRM, Marchetti MA, Stansel JW, Park WD: Characterization of quantitative trait loci (QTLs) in cultivated rice contributing to field resistance to sheath blight (*Rhizoctonia solani*) 382
Li Z, Pinson SRM, Stansel JW, Park WD: Identification of quantitative trait loci (QTLs) for heading date and plant height in cultivated rice (*Oryza sativa* L.) 374
Lin B-y, Yu H-j: Inheritance of a striped-leaf mutant is associated with the cytoplasmic genome in maize 915
Lin CY → Aggrey SE
Linde-Laursen I → Pedersen C
Linke B → Steinborn R
Lintel Hekkert B te → Jacobs JME
Lister C → Jansen RC
Littell RC → Dieters MJ
Liu B-H → Knapp S
Liu CJ, Musial JM: Restriction fragment length polymorphism detected by cDNA and genomic DNA clones in *Stylosanthes* 1210
Liu CJ → Jones ES
Liu DJ → Chen PD
Liu F-H → Zhang J-S
Liu HL → Li Z
Liu Z-W, Jarret R-L, Kresovich S, Duncan RR: Characterization and analysis of simple sequence repeat (SSR) loci in seashore paspalum (*Paspalum vaginatum* Swartz) 47
Lopes MA, Larkins BA: Genetic analysis of *opaque2* modifier gene activity in maize endosperm 274
Lorieux M → Quillet MC
Lörz H → Funatsuki H
Luo H, Boutry M: Phylogenetic relationships within *Hevea brasiliensis* as deduced from a polymorphic mitochondrial DNA region 876
Luo M-C → Dubcovsky J
Luo P → Li Z

Ma G, Chen P, Buss GR, Tolin SA: Genetic characteristics of two genes for resistance to soybean mosaic virus in PI486355 soybean 907
Maaß HI, Klaas M: Infraspecific differentiation of garlic (*Allium sativum* L.) by isozyme and RAPD markers 89
Madjidian N → Quillet MC
Maestra B → Naranjo T
Magnussen S, Kremer A: The beta-binomial model for estimating heritabilities of binary traits 544
Manac'h H → Lavigne C
Marathe RP → Czakó M
Marchetti MA → Li Z
Márton L → Czakó M
Masci S → D'Ovidio R
Masson J → Lebel EG
Masuelli RW, Tanimoto EY, Brown CR, Comai L: Irregular meiosis in a somatic hybrid between *S. bulbocastanum* and *S. tuberosum* detected by species-specific PCR markers and cytological analysis 401
Mathieu C → Bellamy A
McCouch SR → Van Coppenolle B
McCouch SR → Wu P
McFerson JR → Kresovich S
McGowan PJ → Davis TM
McMillan I, Fairfull RW, Friars GW, Quinton M: The effect of simultaneous selection on the genetic correlation 776
Menteur S → Han F
Messeguer R → Viruel MA
Mew T → Hittalmani S
Michaelis G → Ran Z
Michel M → Pickering RA

Michelmore RW → Witsenboer H
Miedaner T, Fromme FJ, Geiger HH: Genetic variation for foot-rot and *Fusarium* head-blight resistances among full-sib families of a self-incompatible winter rye (*Secale cereale* L.) population 862
Mithen R → Toroser D
Mohan M → Nair S
Mohan M → Nair S
Monte JV, Flavell RB, Gustafson JP: WIS 2-1A: an ancient retrotransposon in the *Triticeae* tribe 367
Moran GF → Byrne M
Mosjidis JA → Xie C
Mouzeyar S, Roeckel-Drevet P, Gentzbittel L, Philippon J, Tourvieille De Labrouhe D, Vear F, Nicolas P: RFLP and RAPD mapping of the sunflower *P/1* locus for resistance to *Plasmopara halstedii* race 1 733
Mulcahy DL → Sari-Goria M
Müller E → Funatsuki H
Murase M → Kohno-Murase J
Murrell JC → Byrne M
Musial JM → Liu CJ

N'Goran AKJ → Lanaud C
Nair S, Bentur JS, Prasada Rao U, Mohan M: DNA markers tightly linked to a gall midge resistance gene (*Gm2*) are potentially useful for marker-aided selection in rice breeding 68
Nair S, Rao UP, Bennett J, Mohan M: Detection of a highly heterozygous locus in recombinant inbred lines of rice and its possible involvement in heterosis 978
Nakamura T → Tosa Y
Nakazono M, Kanno A, Tsutsumi N, Hirai A: Homologous recombination mediated by two palindromic repeated sequences in the mitochondrial genome of *Oryza* 1
Namuth DM → Sherman JD
Naranjo T, Maestra B: The effect of ph mutations on homoeologous pairing in hybrids of wheat with *Triticum longissimum* 1265
Naranjo T: Chromosome structure of *Triticum longissimum* relative to wheat 105
Nasuda S → Delaney DE
Nasuda S → Delaney DE
Natali L, Giordani T, Cionini G, Pugliesi C, Fambrini M, Cavallini A: Heterochromatin and repetitive DNA frequency variation in regenerated plants of *Helianthus annus* L. 395
Neale DB → Lehner A
Neumann K-H → Arnholdt-Schmitt B
Neves N, Heslop-Harrison JS, Viegas W: rRNA gene activity and control of expression mediated by methylation and imprinting during embryo development in wheat × rye hybrids 529
Nevo E, Pagnotta MA, Beiles A, Porceddu E: Wheat storage proteins: glutenin DNA diversity in wild emmer wheat, *Triticum dicoccoids*, in Israel and Turkey. 3. Environmental correlates and allozymic associations 415
Nevo E → Joppa LR
Nevo E → Pagnotta MA
Nguyen HT → Jorgensen JA
Nguyen HT → Wang B
Nicolas P → Mouzeyar S
Nielsen PB → Larsen NJ
Nienhuis J → Skroch PW
Noda T → Tosa Y
Noguchi H → Tosa Y
Noirot M → Assienan B
Nothnagel T → Steinborn R

Ohba K → Tsumura Y
Ohmido N, Fukui K: Cytological studies of African cultivated rice, *Oryza glaberrima* 212
Orford SJ, Steele Scott N, Timmis JN: A hypervariable middle repetitive DNA sequence from citrus 1248
Osborn TC → Teutonico RA
Osborn TC → Toroser D

Pagnotta MA, Nevo E, Beiles A, Porceddu E: Wheat storage proteins: glutenin diversity in wild emmer, *Triticum dicoccoides*, in Israel and Turkey. 2. DNA diversity detected by PCR 409
Pagnotta MA → Nevo E
Pandeya R → Donaldson PA
Park WD → Li Z
Paszkowski J → Lebel EG
Paterson AH → Wang G-L
Paul S → Begum F
Pedersen C, Linde-Laursen I: The relationship between physical and genetic distances at the *Hor1* and *Hor2* loci of barley estimated by two-colour fluorescent in situ hybridization 941
Pereira A → El-Kharbotly A
Pereira A → Jacobs JME
Perez de la Rosa J, Harris SA, Farjon A: Noncoding chloroplast DNA variation in Mexican pines 1101
Perron M, Gordon AG, Bousquet J: Species-specific RAPD fingerprints for the closely related *Picea mariana* and *P. rubens* 142
Petit RJ → Dumolin S
Philippon J → Mouzeyar S
Picard G → Depeiges A
Pickering RA, Hill AM, Michel M, Timmerman-Vaughan GM: The transfer of a powdery mildew resistance gene from *Hordeum bulbosum* L. to barley (*H. vulgare* L.) chromosome 2 (2I) 1288
Pignone D → Galasso I
Pinson SRM → Li Z
Pinson SRM → Li Z
Plaschke J, Ganal MW, Röder MS: Detection of genetic diversity in closely related bread wheat using microsatellite markers 1001
Plourde A → Hamelin RC
Pons O, Chaouche K: Estimation, variance and optimal sampling of gene diversity. II. Diploid locus 122
Porceddu E → D'Ovidio R
Porceddu E → Nevo E
Porceddu E → Pagnotta MA
Poulsen DME, Henry RJ, Johnston RP, Irwin JAG, Rees RG: The use of bulk segregant analysis to identify a RAPD marker linked to leaf rust resistance in barley 270
Powell W → Thomas WTB
Powles SB → Boutsalis P
Pöykkö T → Lehner A
Prakash S → Kirti PB
Prasada Rao U → Nair S
Pugin A → Jeandroz G
Pugliesi C → Natali L
Pulgdomènech P → Viruel MA

Qi LL → Chen PD
Qu L, Hancock JF: Nature of 2n gamete formation and mode of inheritance in interspecific hybrids of diploid *Vaccinium darrowi* and tetraploid *V. corymbosum* 1309
Qualset CO → Zhong G-Y
Quillet MC, Madjidian N, Griveau Y, Serieys H, Tersac M, Lorieux M, Bervillé A: Mapping genetic factors controlling pollen viability in an interspecific cross in *Helianthus* sect. *Helianthus* 1195
Quinton M → McMillan I

Rakow GFW → Dion Y
Ramakrishna W → Sastry JG
Ran Z, Michaelis G: Mapping of a chloroplast RFLP marker associated with the CMS cytoplasm of sugar beet (*Beta vulgaris*) 836
Ranjekar PK → Ratnaparkhe MB
Ranjekar PK → Sastry JG
Rao PS → D'Hont A
Rao UP → Nair S
Rao-Arelli AP → Webb DM
Ratnaparkhe MB, Gupta VS, Ven Murthy MR, Ranjekar PK: Genetic fingerprinting of pigeonpea [*Cajanus cajan* (L.) Millsp.] and its wild relatives using RAPD markers 893
Ray JD → Wang B
Rayburn AL → Iqbal MJ
Raynal M → Depeiges A
Reddy AR → Reddy VS
Reddy VS, Dash S, Reddy AR: Anthocyanin pathway in rice (*Oryza sativa* L.): identification of a mutant showing dominant inhibition of anthocyanins in leaf and accumulation of proanthocyanidins in pericarp 301
Reeleder R → Bai D
Rees RG → Poulsen DME
Renard M → Baranger A
Renard M → Foisset N
Reynolds D → Vyskot B
Richter TE → Sanz-Alferez S
Rigola D → Sari-Goria M
Rinderer TE, Beaman LD: Genic control of honey bee dance language dialect 727
Risterucci AM → Lanaud C
Roca W → Welsh W
Rochefored TR → Tadmor Y
Röder MS → Plaschke J
Rodin SN → Furman DP
Rodriguez RL → Hittalmani S
Roeckel-Drevet P → Mouzeyar S
Ronfort J, Saumitou-Laprade P, Cuguen J, Couvet D: Mitochondrial DNA diversity and male sterility in natural populations at *Daucus carota* ssp *carota* 150
Rufener GK → Berry ST
Rus-Kortekaas W → Smulders MJM

Sachambula L → Vyskot B
Sagi L → Van Campenhout S
Sanz-Alferez S, Richter TE, Hulbert SH, Bennetzen JL: The *Rp3* disease resistance gene of maize: mapping and characterization of introgressed alleles 25
Sari-Goria M, Mulcahy DL, Villa M, Rigola D: Pollen-pistil interaction in maize: effects on genetic variation of pollen traits 936
Sarrafi A → Han F
Sastry JG, Ramakrishna W, Sivaramakrishnan S, Thakur RP, Gupta VS, Ranjekar PK: DNA fingerprinting detects genetic variability in the pearl millet downy mildew pathogen (*Sclerospora graminicola*) 856
Satovic Z → Torres AM
Saumitou-Laprade P → Ronfort J
Schilde-Rentschler L → Stadler M
Schmidt T → Galasso I
Schoenmakers HCH → Zhu D
Schupp J → Webb DM
Second G → Ghareyazie B
Séguin-Swartz G → Dion Y
Sekhon MS, Gupta VP: Genetic distance and heterosis in Indian mustard: developmental isozymes as indicators of genetic relationships 1148
Sen SK → Begum F
Serieys H → Quillet MC
Sharma SK, Dawson IK, Waugh R: Relationships among cultivated and wild lentils revealed by RAPD analysis 647
Sherman JD, Fenwick AL, Namuth DM, Lapitan NLV: A barley RFLP map: alignment of three barley maps and comparisons to Gramineae species 681
Sieper DA → Xu WW
Sikdar SR → Begum F
Simonsen V, Heneen WK: Genetic variation within and among different cultivars and landraces of *Brassica campestris* L. and *B. oleracea* L. based on isozymes 346
Simonsen V, Heneen WK: Inheritance of isozymes in *Brassica campestris* L. and genetic divergence among different species of *Brassiceae* 353
Singh SP → Welsh W
Sivaramakrishnan S → Sastry JG
Skroch PW, Nienhuis J: Impact of scoring error and reproducibility of RAPD data on RAPD based estimates of genetic distance 1086
Skroch PW, Nienhuis J: Qualitative and quantitative characterization of RAPD variation among snap bean (*Phaseolus vulgaris*) genotypes 1078
Slade NA → Alexander HM
Smulders MJM, Rus-Kortekaas W, Vosman B: Tissue culture-induced DNA methylation polymorphisms in repetitive DNA of tomato calli and regenerated plants 1257
Snape JW → Wang G
Stadler M, Stelzer T, Borisjuk N, Zanke C, Schilde-Rentschler L, Hemleben V: Distribution of novel and known repeated elements of *Solanum* and application for the identification of somatic hybrids among *Solanum* species 1271
Stam P → Jansen RC
Stanghellini M → Witsenboer H
Stansel JW → Li Z
Steele Scott N → Orford SJ
Steinborn R, Linke B, Nothnagel T, Börner T: Inheritance of chloroplast and mitochondrial DNA in alloplasmic forms of the genus *Daucus* 632
Stelzer T → Stadler M
Stiekema WJ → El-Kharbotly A
Stiekema WJ → Jacobs JME
Stricker C, Fernando RL, Elston RC: An algorithm to approximate the likelihood for pedigree data with loops by cutting 1054
Swanston JS → Thomas WTB
Szewc-McFadden AK → Kresovich S

Tadmor Y, Azanza F, Han T, Rocheford TR, Juvik JA: RFLP mapping of the *sugary enhancer1* gene in maize 489
Taguchi T → Akagi H
Takeda K → Taketa S
Taketa S, Kato J, Takeda K: High crossability of wild barley (*Hordeum spontaneum* C. Koch) with bread wheat and the differential elimination of barley chromosomes in the hybrids 1203
Tanhuanpää PK, Vilkki JP, Vilkki HJ: Identification of a RAPD marker for palmitic-acid concentration in the seed oil of spring turnip rape (*Brassica rapa* ssp. *oleifera*) 477
Tanimoto EY → Masuelli RW
Tanksley SD → Alpert KB
Tanksley SD → Azanza F
Taylor IB → Burbidge A
Taylor P → D'Hont A
Tersac M → Quillet MC
Teutonico RA, Osborn TC: Mapping loci controlling vernalization requirement in *Brassica rapa* 1279
Thakur RP → Sastry JG
Thomas WTB, Powell W, Waugh R, Chalmers KJ, Barua UM, Jack P, Lea V, Forster BP, Swanston JS, Ellis RP, Hanson PR, Lance RCM: Detection of quantitative trait loci for agronomic, yield, grain and disease characters in spring barley (*Hordeum vulgare* L.) 1037
Thompson R → Janss LLG
Thormann CE → Toroser D
Timmerman-Vaughan GM → Pickering RA
Timmis JN → Orford SJ
Tolin SA → Ma G
Tomaru N → Tsumura Y
Toroser D, Thormann CE, Osborn TC, Mithen R: RFLP mapping of quantitative trait loci controlling seed aliphatic-glucosinolate content in oilseed rape (*Brassica napus* L.) 802
Torres AM, Satovic Z, Canovas J, Cobos S, Cubero JI: Genetics and mapping of new isozyme loci in *Vicia faba* L. using trisomics 783
Tosa Y, Kusaba M, Fujiwara N, Nakamura T, Kiba A, Noda T, Furutsu Y, Noguchi H, Kato K: Geographical distribution of genes for resistance to formae speciales of *Erysiphe graminis* in common wheat 82
Tosti N → Barcaccia G
Tourvieille De Labrouhe D → Mouzeyar S
Touzet P, Winkler RG, Helentjaris T: Combined genetic and physiological analysis of a locus contributing to quantitative variation 200
Tsumura Y, Yoshimura K, Tomaru N, Ohba K: Molecular phylogeny of conifers using RFLP analysis of PCR-amplified specific chloroplast genes 1222
Tsutsumi N → Nakazono M
Tuleen NA → Friebe B

Ullrich SE → Han F
Uzunova M → Ecke W

Van Arendonk JAM → Janss LLG
Van Campenhout S, Vander Stappen J, Sagi L, Volckaert G: Locus-specific primers for LMW glutenin genes on each of the group 1 chromosomes of hexaploid wheat 313
Van Coppenolle B, McCouch SR, Watanabe I, Huang N, Van Hove C: Genetic diversity and phylogeny analysis of *Anabaenza azollae* based on RFLPs detected in *Azolla-Anabaena azollae* DNA complexes using *nif* gene probes 589
Van Eck HJ → Jacobs JME
Van Hove → Van Coppenolle B
Van Ooijen JW → Jansen RC
Vander Stappen J → Van Campenhout S
Vargas F → Viruel MA
Vear F → Mouzeyar S
Vedel F → Bellamy A
Ven Murthy MR → Ratnaparkhe MB
Verkerk-Bakker B → Jacobs JME
Veronesi F → Barcaccia G
Vezvaei A, Hancock TW, Giles LC, Clarke GR, Jackson JF: Inheritance and linkage of isozyme loci in almond 432
Vicente MC de → Viruel MA
Viegas W → Neves N
Vilkki HJ → Tanhuanpää, PK
Vilkki JP → Tanhuanpää, PK
Villa M → Sari-Goria M
Viruel MA, Messeguer R, Vicente MC de, Garcia-Mas J, Pulgdomènech P, Vargas F, Arús P: A linkage map with RFLP and isozyme markers for almond 964
Volckaert G → Van Campenhout S
Vosman B → Smulders MJM
Vyskot B, Koukalová B, Kovařík A, Sachambula L, Reynolds D, Bezděk M: Meiotic transmission of a hypomethylated repetitive DNA family in tobacco 659

Wai T, Grumet R: Inheritance of resistance to watermelon mosaic virus in the cucumber line TMG-1: tissue-specific expression and relationship to zucchini yellow mosaic virus resistance 699
Wallace DH → Gu WK
Wang B, Wang JZ, Wu W, Zheng HG, Yang ZY, Xu WW, Ray JD, Nguyen HT: Tagging and mapping the thermo-sensitive genic male-sterile gene in rice (*Oryza sativa* L.) with molecular markers 1111
Wang G, Hyne V, Chao S, Henry Y, De Buyser J, Gale MD, Snape JW: A com-

parison of male and female recombination frequency in wheat using RFLP maps of homoeologous group 6 and 7 chromosomes 744
Wang G-L, Dong J-M, Paterson AH: The distribution of *Gossypium hirsutum* chromatin in *G. barbadense* germ plasm: molecular analysis of introgressive plant breeding 1153
Wang JZ → Wang B
Wanous MK, Gustafson JP: A genetic map of rye chromosome 1R integrating RFLP and cytogenetic loci 720
Watanabe I → Van Coppenolle B
Waugh R → Sharma SK
Waugh R → Thomas WTB
Wearden S → Gunel E
Weaver KR → Caetano-Anollés G
Webb DM, Baltazar BM, Rao-Arelli AP, Schupp J, Clayton K, Keim P, Beavis WD: Genetic mapping of soybean cyst nematode race-3 resistance loci in the soybean PI 437.654 574
Weeden NF → Gu WK
Wei R-P: Optimal restricted phenotypic selection 389
Weigel R, Wolf M, Hesemann C-U: Mitochondrial DNA variation in plants regenerated from embryogenic callus cultures of CMS triticale 1237
Weißleder K → Ecke W
Welsh W, Bushuk W, Roca W, Singh SP: Characterization of agronomic traits and markers of recombinant inbred lines from intra- and interracial populations of *Phaseolus vulgaris* L. 169
Wen Y → Yaghoobi J
Wesenberg DM → Han F
Wheeler NC → Lehner A
White TL → Dieters MJ
Wijsman HJW → Huits HSM
Williams PE → Caetano-Anollés G
Williamson VM → Yaghoobi J
Winkler RG → Touzet P
Witcombe JR → Jones ES
Witsenboer H, Kesseli RV, Fortin MG, Stanghellini M, Michelmore RW: Sources and genetic structure of a cluster of genes for resistance to three pathogens in lettuce 178
Wolf M → Weigel R
Wolff K, Zietkiewicz, Hofstra H: Identification of chrysanthemum cultivars and stability of DNA fingerprint patterns 439
Wolters AMA → Zhu D
Woodman KJ → Burbidge A
Wu P, Zhang G, Huang N, Ladha JK: Non-allelic interaction conditioning spikelet sterility in an F_2 population of indica/japonica cross in rice 825
Wu P, Zhang G, Ladha JK, McCouch SR, Huang N: Molecular-marker-facilitated investigation on the ability to stimulate N_2 fixation in the rhizosphere by irrigated rice plants 1177
Wu W → Wang B

Xiang C → Czakó M
Xie C, Mosjidis JA: Seedling-selection effects on morphological traits of mature plants in red clover 1032
Xu WW, Sieper DA, Chao S: Genome mapping of polyploid tall fescue (*Festuca arundinacea* Schreb.) with RFLP markers 947
Xu WW → Wang B
Yaghoobi J, Kaloshian I, Wen Y, Williamson VM: Mapping a new nematode resistance locus in *Lycopersicon peruvianum* 457
Yamada Y: Are economic selection indices always superior to a desired gains index? 655
Yamagishi M: Detection of section-specific random amplified polymorphic DNA (RAPD) markers in *Lilium* 830
Yang ZY → Wang B
Yoshimura K → Tsumura Y
Yu H-j → Lin B-y
Yu H → Davis TM
Yu J → Gu WK

Zanke C → Stadler M
Zhang G → Wu P
Zhang J-S, Gu J, Liu F-H, Chen S-Y: A gene encoding a truncated large subunit of Rubisco is transcribed and salt-inducible in rice 361
Zhang SZ → Chen PD
Zheng HG → Wang B
Zhong G-Y, Qualset CO: Quantitative genetic diversity and conservation strategies for an allogamous annual species, *Daspyrum villosum* (L.) Candargy (Poaceae) 1064
Zhou B → Chen PD
Zhou Z, Gustafson JP: Genetic variation detected by DNA fingerprinting with a rice minisatellite probe in *Oryza sativa* L. 481
Zhu D, Schoenmakers HCH, Wolters AMA, Koornneef M: A genetic analysis of a tomato (*Lycopersicon esculentum*) genotype with a high frequency of twin spots 1162
Zietkiewicz E → Wolff K